

A) Rubber Seals & Centre Register for GRP Pipes


GRP Pipes are fast becoming the preferred pipe choice for water supply systems all over the world, especially for wastewater applications due to its excellent resistance to acidic environment. URIL is a leading GRP Pipe Seals Supplier and Manufacturer from U.A.E. We manufacture the complete range of Reka type sealing gaskets and O-Ring from sizes 50 mm to 4000 mm pipe diameters. Our specialty compounds complement the GRP pipe properties to offer unmatched performance standards. Also, we offer sealing gaskets by Moulding and Extruded process.

All our GRP Pipe Seals meet the requirements and tolerances set by BS EN 681-1:1996 type WA and WC in addition to purchase acceptance standards set by customers. Availability of multiple moulds and extrusion process URIL's flexible manufacturing process translates into very quick and efficient supplies for our customers, whether for small or big volume production runs.

Value gets added to this superior quality of production by the efficiency of our logistics and supply chain team who ensure that we maintain bulk inventory for meeting the urgent requirements of clients. They also ascertain that the consignments reach the customers in time.


1. Reka Gasket

REKA GASKET



| DESCRIPTION | Cross Section | |
|------------------------|---------------|------|
| | H | W |
| REKA TYPE 1 | 20 | 18 |
| REKA TYPE 2 | 30 | 22 |
| REKA TYPE 3 | 10 | 11 |
| REKA TYPE 4 | 15 | 16 |
| REKA TYPE 6 (6 Groove) | 40 | 37.5 |
| REKA TYPE 6 (9 Groove) | 40 | 37.5 |

RRA REKA VEM GASKETS




| DESCRIPTION | Cross Section | |
|-------------|---------------|----|
| | H | W |
| 17 X 20 | 20 | 17 |
| 19 X 25 | 25 | 19 |
| 20 X 25 | 25 | 20 |
| 21 X 30 | 30 | 21 |
| 26 X 35 | 35 | 26 |

REKA 20 GASKETS




| DESCRIPTION | Cross Section | |
|-------------|---------------|------|
| | W | H |
| REKA 20 | 19 | 32.5 |
| REKA 20 | 20 | 32.5 |
| REKA 20 | 21 | 32.5 |
| REKA 20 | 22 | 32.5 |




| DESCRIPTION | Cross Section | |
|-------------|---------------|----|
| | H | W |
| REKA 20 | 17 | 16 |

2. O-Rings




Cross Section range from 5mm to 50mm

3. Centre Registers/Stoppers




| DESCRIPTION | Cross Section | | |
|----------------|---------------|----|----|
| | H | W | W1 |
| STOPPER TYPE 1 | 16.6 | 30 | 18 |
| STOPPER TYPE 2 | 19 | 40 | 18 |
| STOPPER TYPE 3 | 21.5 | 40 | 18 |
| STOPPER TYPE 4 | 26.5 | 40 | 18 |




| DESCRIPTION | Cross Section | | |
|----------------|---------------|----|----|
| | H | W | W1 |
| STOPPER TYPE 5 | 10.5 | 28 | 15 |
| STOPPER TYPE 6 | 13.5 | 34 | 15 |

4. Asymmetric Profile




| DESCRIPTION | Cross Section | |
|--|---------------|-----|
| | H | W |
| Asymmetric Profile with Middle Stopper | 20 | 150 |



| DESCRIPTION | Cross Section | |
|--|---------------|-----|
| | H | W |
| Asymmetric Profile with Middle Stopper | 20 | 150 |

5. S19 Spigot Gasket



| DESCRIPTION | Cross Section | |
|-------------------|---------------|------|
| | H | W |
| S19 Spigot Gasket | 19.5 | 12.1 |